SERIES


CONE CRUSHER



CONSTRUCTION AGGREGATES — MINING

Crushers with high capacity and outstanding reliability














- High capacity and a high reduction ratio of the crusher's product
- One design of the crusher body for secondary and tertiary crushers
- Construction height of the crushers allows implementation also in mobile units





Square screen hole size (mm)



% Passing through



TASK

Crushing is an elementary step in the processing of construction raw materials. HCU cone crushers work reliably and with a minimum of wear-and-tear, even under most difficult conditions.


SOLUTION


HCU cone crushers provide high crushing performance and efficiency in a broad range of applications. The heavy duty design of the HCU crushers allows a stable operation in extremely hard conditions. The technically advanced design ensures the right shape of the crushed material.

BENEFIT

HCU cone crushers grant a high labor safety. The compact design allows an easy installation. HCU crushers provide for a high customer satisfaction: the hydraulic setting, easy servicing and maintenances offer a highly economical concept.

Technical data												
Model	Dimensions							Feed size	CSS range	Power installed	Capacity	Weight without drive
	А	В	С	D	Е	F	G	mm	mm	kW	t/h	kg
HCU 7 S	2550	1400	1130	2460	2050	407	352	200	20 - 35	90	80 - 180	5100
HCU 9 S	3000	1800	1210	2875	2308	567	445	220	25 - 50	132	140 - 300	9100
HCU 12 S	3600	2180	1921	3876	3178	698	462	340	25 - 63	200 - 250	270 - 550	21500
HCU 7	2550	1400	1056	2264	1847	417	363	35/65/100/160	4 -35	90	30 -170	5200
HCU 10	3000	1750	1396	2821	2229	592	443	65/90/150/220	8 - 50	160	90 - 350	12400
HCU 12	3600	2180	1571	3626	2928	698	462	65/100/160	9 - 45	200 - 250	110 - 400	19000







COLOUR

COMEC offers the opportunity to customize both your equipment and production lines with your desired colours, in order to support your own corporate design.

Features and sizes are not binding and Comec-Binder S.r.l. reserves to effect modifications or improvements for commercial and technical reasons at any moment and without notice.

